

Sildenafil 100mg/ Tadalafil 20mg / Apomorphine 4mg Troche

Visually Impaired

If you are visually impaired and need help reading your label we can help. At your request, a prescription reader is available to patients in need. If you need help, please contact the pharmacy at 727-498-1228 and speak to a technician or pharmacist who will be able to advise you on your options and the cost.

What is this medication?

Sildenafil/Tadalafil/Apomorphine Troche is a compounded medication used to treat erectile dysfunction (ED). It works by improving blood flow to the penis and enhancing the body's natural response to sexual stimulation, helping you achieve and maintain an erection.

What are the ingredients?

This compounded troche contains:

- Sildenafil 100 mg
- Tadalafil 20 mg
- Apomorphine 4 mg

Sildenafil and tadalafil increase blood flow to the penis. Apomorphine works on receptors in the brain that help trigger the body's natural erectile response.

If you have any further questions or concerns about the ingredients used in your customized, compounded formulation, please contact one of our pharmacists at 727-498-1228.

What should I tell my healthcare provider before I take this medication?

- Have heart disease, chest pain, irregular heartbeat, or have had a heart attack or stroke.
- Have high or low blood pressure.
- Have liver or kidney disease.
- Have a history of dizziness, fainting, or low blood pressure.
- Have vision or hearing problems.
- Have a penile deformity or a history of prolonged erections.
- Take nitrates, riociguat, alpha-blockers, or other medications for erectile dysfunction.
- Are taking prescription medications, over-the-counter products, vitamins, or herbal supplements.
- Have any medication allergies.

How should I use this medication?

Use this medication exactly as prescribed by your healthcare provider.

What if I miss a dose?

This medication is typically used as needed before sexual activity. If you miss a dose and still plan to engage in sexual activity, take it as directed by your healthcare provider. Do not take extra doses to make up for a missed dose.

What may interact with this medication?

Always check with your provider before starting or stopping any medication, including non-prescription products.

Possible interactions include:

- Nitrate medications such as nitroglycerin, isosorbide dinitrate, and isosorbide mononitrate.
- Riociguat.
- Alpha-blockers such as tamsulosin, doxazosin, and terazosin.
- Blood pressure medications.
- Certain antibiotics such as erythromycin and clarithromycin.
- Certain antifungal medications such as ketoconazole and itraconazole.
- HIV protease inhibitors.
- Other erectile dysfunction medications.
- Excessive alcohol consumption.

What side effect:

Common side effects may include:

- Headache
- Flushing (redness or warmth of the face)
- Dizziness or lightheadedness
- Nasal congestion
- Nausea or upset stomach
- Back pain or muscle aches
- Dry mouth
- Drowsiness

Seek immediate medical attention if you experience:

- Chest pain
- Sudden vision loss or changes in vision
- Sudden hearing loss or ringing in the ears
- Severe dizziness or fainting
- Shortness of breath
- An erection lasting longer than 4 hours (priapism)
- Signs of an allergic reaction, including rash, itching, swelling, or difficulty breathing

This list may not describe all possible side effects. Call your doctor for medical advice about side effects and any unusual problems while taking this medication. If you experience a serious side effect, you or your doctor may send a report to the Food and Drug Administration's (FDA) MedWatch Adverse Event Reporting program, online (www.fda.gov/Safety/MedWatch) or by phone (1-800-332-1088)

What should I watch while using this medication?

This medication may cause dizziness, lightheadedness, or drowsiness. Avoid driving or operating machinery until you know how it affects you. Avoid excessive alcohol consumption, as it may increase the risk of dizziness, low blood pressure, and other side effects. Seek immediate medical attention if you experience chest pain, sudden vision loss, sudden hearing loss, or an erection lasting longer than 4 hours. Contact your healthcare provider if your symptoms do not improve or if the medication is not working as expected. Do not take additional erectile dysfunction medications unless directed by your healthcare provider. Inform all healthcare providers that you are using this medication, especially before receiving treatment for chest pain or heart conditions.

Where should I keep my medication?

Store the troches in a cool place away from heat and moisture. Store this medication in the refrigerator, between 36°F and 46°F (2°C to 8°C). Do not freeze. Keep it in its original packaging and protect it from direct light. Keep out of reach of children and pets.

Disposal: Do not flush or pour unused medication down the drain. The best option is to use a DEA-authorized drug take-back location, which you can find at rxdrugdropbox.org. If that's not available, mix the medication (still in its vial or drawn into a syringe) with an undesirable substance like used coffee grounds or cat litter, seal it in a plastic bag, and discard it in the household trash—after removing any personal information from the label. Used syringes must be placed in an FDA-cleared sharps container and taken to an appropriate sharps disposal site. If you're unsure, contact your pharmacist at 727-498-1228 for guidance.

OFFER TO COUNSEL NOTICE

You are receiving this notice because you or your physician recently requested a compounded prescription to be filled by our pharmacy. You are entitled to receive medication counseling from one of our pharmacists regarding the following: Name and description of medication. Dose, route of administration, and duration of medication. Intended use of medication and expected action. Special directions and precautions for use. Common adverse effects or interactions. Techniques for self-monitoring. Proper storage. Prescription refill information.

You may contact a pharmacist at (727) 498-1228 Monday through Friday, 9AM to 5PM EST and Saturday 9AM-1PM EST.

PharmaLabs' notice of Privacy Practices may be viewed on the company website. You may view and acknowledge receipt of these offers or refuse your right to be counseled online at:

<https://pharmalabs.com/privacy-policy/>

Our pharmacists will be happy to discuss any additional questions or concerns you may have.

NOTE: This sheet is a summary. It may not cover all possible information. If you have questions about this medicine, talk to your doctor, pharmacist, or health care provider.