

Q3 2026

PharmaLabs

ORDER FORM



HOURS:

MON - FRI: 8AM - 8 PM EST

SAT: 9AM - 5:30 PM EST

OTHER WAYS TO ORDER:

Call in: (857) 233-5837 x2

Fax in: (888) 247-0840

Write on your preferred EMR via

Pharmalabs - 10901 Roosevelt Blvd N, St. Petersburg, FL 33716 - 727.498.1228

ORDER ON THE PORTAL



The most regulatory compliant way to prescribe medications through PharmaLabs.

☐ Bill to Patient ☐ Bill to Practice

☐ Ship to Residence
☐ Ship to Office
Shipping Address: _____

 Patient Name: _____ Date: _____
 Date of Birth: _____ Patient Phone: _____ Email: _____
ERECTILE DYSFUNCTION**Intracavernosal Injection**

	Mixture	Papaverine (mg/mL)	Phentolamine (mg/mL)	PGE1 (mcg/mL)	Atropine (mcg/mL)
☐	PGE1*	-	-	25	-
☐	Bimix #30/2	30	2	-	-
☐	Bimix #3	15	0.5	-	-
☐	Bimix #4	30	1	-	-
☐	Bimix #10	30	4	-	-
☐	Trimix #5	30	1	10	-
☐	Trimix #6	30	4	2.5	-
☐	Trimix #7	30	4	5	-
☐	Trimix #8	30	2	20	-
☐	Trimix #9	30	4	40	-
☐	Trimix #11	30	4	7.5	-
☐	Trimix #12	30	4	10	-
☐	Trimix #13	30	6	60	-
☐	Trimix #14	30	1	2.5	-
☐	Trimix #15	30	2	40	-
☐	Trimix #16	30	6	100	-
☐	Quadmix 30/2/10/100	30	2	10	100
☐	Quadmix 30/3/40/200	30	3	40	200

SIG: Dispense 1 Month Supply **QTY:** 5mL **Refills:** _____
 Inject _____ units intracavernosally as instructed
 Increase or decrease by _____ units
 Maximum Dose _____ units
 May use ☐ Daily ☐ 3-4 times weekly

CHOOSE SYRINGE:

☐ 1cc: 31 gauge x 5/16" insulin syringes **QTY:** 10
☐ 1cc: 29 gauge x 1/2" insulin syringes **QTY:** 10
 *PGE1 Only: ☐ By checking this box, prescriber has determined PGE1 compound is medically necessary.

Priapriasm Rescue
☐ Phenylephrine 1mg/mL **QTY:** 10mL **Refills:** _____

SIG: Inject _____ units intracavernosally for erections lasting longer than 2.5 hours. Max Dose is ____ units. May repeat in 15 minutes if erection does not subside. May perform a total of 3 doses. Proceed to the emergency room if erection persists.

☐ Pseudoephedrine 30mg tablet **QTY:** 30 Tablets **Refills:** _____

SIG: Take ____ tablet(s) by mouth as needed for an erection lasting longer than 2.5-3 Hours.

Retail, Injection Accessories, & Supplements
☐ Alcohol Prep Pads **QTY:** _____

☐ Autoject EI **QTY:** _____

☐ FirmTech Tech Ring **QTY:** _____

☐ Constriction Loop **QTY:** _____

☐ FirmTech Performance Ring **QTY:** _____

☐ FirmTech Tech Ring **QTY:** _____

☐ MYHIXEL Ring - Light **QTY:** _____

☐ MYHIXEL Ring - Firm **QTY:** _____

☐ MYHIXEL Ring - Intense **QTY:** _____

☐ MYHIXEL Ring - 3 Ring Bundle **QTY:** _____

☐ Insul-Tote **QTY:** _____

☐ Insul-Ease **QTY:** _____

☐ Sharps Container **QTY:** _____

☐ N-Acetyl Cysteine 600mg **QTY:** _____

☐ Trimix Starter **QTY:** _____

☐ ICI Essentials **QTY:** _____

☐ Uberlube **QTY:** _____

☐ Popstar Silicone-based Lube **QTY:** _____

☐ Popstar Water-based Lube **QTY:** _____

☐ Box of 100 - 29G 5/16" 1CC **QTY:** _____

☐ Box of 100 - 31G 1/2" 1CC **QTY:** _____

Provider Name (Printed):

Provider Address:

Provider Signature:

☐ Bill to Patient ☐ Bill to Practice

☐ Ship to Residence ☐ Ship to Office	Shipping Address: _____ _____
---	----------------------------------

Patient Name: _____ Date: _____
 Date of Birth: _____ Patient Phone: _____ Email: _____

ERECTILE DYSFUNCTION**Vacuum Erection Devices & Accessories**

☐ Manual Augusta SomaTherapy System **QTY:** _____ ☐ Owen Mumford Manual Vacuum Erection Device **QTY:** _____
☐ Battery Augusta SomaTherapy System **QTY:** _____

Intraurethral Gel

	Mixture	Phentolamine (mg/mL)	PGE1 (ug/mL)
☐	GEL	4	1000
☐	GEL	10	-
☐	GEL	20	-

QTY: 15mL **Refills:** _____
SIG: Insert _____ mL intraurethrally. Increase or decrease by _____ mL until desired effect is achieved. Maximum dose _____ mL. May use 1x Daily.

PDE5 Inhibitors

☐ Sildenafil / Tadalafil / Apomorphine (100mg / 20mg / 4mg) Lozenge
SIG: Dissolve 1 lozenge as needed for sex. **QTY:** 90 Lozenges **Refills:** _____
☐ Sildenafil 20mg Tablet **SIG:** Take 20-100mg by mouth as needed, not more than once daily. **QTY:** 90 tablets **Refills:** _____
☐ Sildenafil 100mg Tablet **SIG:** Take 100mg by mouth as needed, not more than once daily. **QTY:** 90 tablets **Refills:** _____
☐ Vardenafil 12mg Lozenge **SIG:** Dissolve 1 by mouth as needed, not more than once daily. **QTY:** 10 Lozenges **Refills:** _____
Tadalafil Lozenge ☐ 5mg/ ☐ 20mg **SIG:** Dissolve 1 by mouth as needed, not more than once daily. **QTY:** 30 Lozenges **Refills:** _____
Tadalafil Tablet ☐ 5mg/ ☐ 10mg/ ☐ 20mg **SIG:** Take 1 by mouth as needed, not more than once daily. **QTY:** 30 tablets **Refills:** _____
Custom SIG: _____

HAIR, HEALTH, AND WELLNESS

☐ Finasteride Tablets - 1mg **SIG:** Take 1 by mouth daily. **QTY:** 30 Tablets **Refills:** _____
☐ Finasteride + Minoxidil Topical Foam 0.1%/ 6% 90mL **SIG:** Apply daily as directed. **Refills:** _____
Valacyclovir ☐ 500mg / ☐ 1,000mg Tablet Take _____ tablet(s) _____ every _____ **QTY:** 30 Tablets **Refills:** _____
SIG: _____

PEYRONIE'S DISEASE

Verapamil	Pentoxifylline
☐ Verapamil Cream 12% Dispensed in a 30mL Pump Jar SIG: Apply 0.5mL (1 Pump) 2x per day for 30 days. QTY: (# of 30mL Jars) _____ Refills: _____	☐ Pentoxifylline 400mg tablet SIG: Take 2 to 3 tablets per day as direct QTY: (# of Tablets) _____ Refills: _____
	☐ Understanding Peyronie's Disease - Book by Dr. Laurence Levine QTY: _____

Provider Name (Printed):	Provider Address:	Provider Signature:
--------------------------	-------------------	---------------------

☐ Bill to Patient ☐ Bill to Practice

☐ Ship to Residence

☐ Ship to Office

Shipping Address: _____

Patient Name: _____ Date: _____

Date of Birth: _____ Patient Phone: _____ Email: _____

HORMONE REPLACEMENT**Anastrozole**
☐ Anastrozole Tablets ☐ 1mg QTY: 30 Tablets Refills: _____

SIG: Take ____ tablet(s) by mouth once weekly; or _____
Clomid: Clomiphene Citrate
☐ Clomiphene Citrate 25mg Capsules

SIG: Take ____ capsule by mouth ____ daily/ weekly (circle one)

☐ Clomiphene Citrate 50mg Capsules

SIG: Take ____ capsule by mouth ____ daily/ weekly (circle one)

QTY: _____ or circle one:

15 capsules60 capsules

Refills: _____

30 capsules90 Capsules45 capsules**Enclomiphene**
☐ Enclomiphene 12.5mg Capsules

SIG: Take ____ capsule by mouth ____ daily/ weekly (circle one)

☐ Enclomiphene 25mg Capsules

SIG: Take ____ capsule by mouth ____ daily/ weekly (circle one)

QTY: _____ or circle one:

15 capsules60 capsules

Refills: _____

30 capsules90 Capsules45 capsules**Testosterone Supplement**
☐ Drive Testosterone Support 1 Bottle (30 Capsules)
Tesosterone Gel
☐ 50mg/mL (5%) Apply _____ mLs every _____ QTY (Total mLs): (numerical and written) _____ mLs Refills: _____

Apply ____ (#of pumps (0.25mL per pump)) Topically to clean, dry skin ____ (daily, twice daily)

☐ 200mg/mL (20%) Apply _____ mLs every _____ QTY (Total mLs): (numerical and written) _____ mLs Refills: _____

Apply ____ (# of pumps (0.25mL per pump)) Topically to clean, dry skin ____ (daily, twice daily)

Kyzatrex (Testosterone Undecanoate)
☐ Kyzatrex (Testosterone Undecanoate) 200mg Capsules

SIG: Take 2 Capsules/ Twice a Day

QTY: _____ (120 Capsules Per Bottl) or circle one:

120 capsules240 capsules

Refills: _____

360 capsules**Testosterone Nasal Spray**
☐ Testosterone Nasal Spray 5.5mg QTY: _____ 12mL Bottle(s) Refills: _____ **SIG:** 1-2 sprays per nostril not more than once daily.
REQUIRED FOR TESTOSTERONE PRESCRIPTIONS
Patient address: _____

Provider address: _____

Provider DEA Number: _____

Provider Name (Printed):

Provider Address:

Provider Signature:

☐ Bill to Patient ☐ Bill to Practice

☐ Ship to Residence

☐ Ship to Office

Shipping Address: _____

Patient Name: _____ Date: _____

Date of Birth: _____ Patient Phone: _____ Email: _____

HORMONE REPLACEMENT

DHEA (Dehydroepiandrosterone)

☐ DHEA (Dehydroepiandrosterone) 100mg Capsules QTY: _____ Capsules Refills: _____ SIG: Take 1 capsule daily

Progesterone

☐ Progesterone 100mg Capsules QTY: _____ Capsules Refills: _____ SIG: Take 1 capsule by mouth at bedtime

Generic Pregnyl (HCG)

☐ 1,000iu/mL QTY (1) 10mL vial Refills: _____ SIG: Inject _____ mLs (Circle SC or IM) _____ (Add Frequency)

CHOOSE SYRINGE:

☐ 1cc: 31 gauge x 5/16" insulin syringes QTY: (10 Per Bag) _____ Bags

☐ 1cc: 29 gauge x 1/2" insulin syringes QTY: (10 Per Bag) _____ Bags

Estradiol Pellets

☐ Estradiol Pellets 10mg QTY: (numerical and written) _____ Refills: _____ SIG: _____

☐ Trocar Kit: 3.2mm Stainless Disposable QTY: _____

Testosterone Pellets

☐ Testosterone Pellets 87.5mg QTY: _____ SIG: _____

☐ Trocar Kit: 3.5mm Stainless Disposable QTY: _____ SIG: _____

☐ Testosterone Pellets 100mg QTY: _____ SIG: _____

☐ Trocar Kit: 3.5mm Stainless Disposable QTY: _____ SIG: _____

☐ Testosterone Pellets 200mg QTY: _____ SIG: _____

☐ Trocar Kit: 4.5mm Stainless Disposable QTY: _____ SIG: _____

Testosterone Cypionate 200mg/mL

☐ Testosterone Cypionate 200mg/mL QTY (1) 10mL (TEN) vial Refills: _____

SIG: Inject _____ mLs intramuscularly _____ weekly, twice weekly, every other week (circle one) *Please discard 28 days after first puncture*

☐ Needles: 18G draw + 23G x 1" for IM injection. QTY: 10

Testosterone Cypionate (Grapeseed Oil)

☐ Testosterone Cypionate 20mg/mL QTY (1) 2mL (TWO) vial Refills: _____

SIG: Inject _____ mLs intramuscularly _____ weekly, twice weekly, every other week (circle one) *Please discard 28 days after first puncture*

☐ Testosterone Cypionate 200mg/mL QTY (1) 5mL (FIVE) vial Refills: _____

SIG: Inject _____ mLs intramuscularly _____ weekly, twice weekly, every other week (circle one) *Please discard 28 days after first puncture*

CHOOSE INTRAMUSCULAR SYRINGE:

- ☐ 21G Intramuscular Needle and 1" Syringe QTY: 10
- ☐ 22G Intramuscular Needle and 1" Syringe QTY: 10
- ☐ 23G Intramuscular Needle and 1" Syringe QTY: 10
- ☐ 25G Intramuscular Needle and 1" Syringe QTY: 10
- ☐ 27G Intramuscular Needle and 0.5" Syringe QTY: 10

CHOOSE INTRAMUSCULAR SYRINGE:

- ☐ 21G Intramuscular Needle and 1.5" Syringe QTY: 10
- ☐ 22G Intramuscular Needle and 1.5" Syringe QTY: 10
- ☐ 23G Intramuscular Needle and 1.5" Syringe QTY: 10
- ☐ 25G Intramuscular Needle and 1.5" Syringe QTY: 10
- ☐ 27G Intramuscular Needle and 1.25" Syringe QTY: 10

REQUIRED FOR TESTOSTERONE PRESCRIPTIONS

Patient address: _____

Provider address: _____

Provider DEA Number: _____

Provider Name (Printed): _____

Provider Address: _____

Provider Signature: _____

☐ Bill to Patient ☐ Bill to Practice

☐ Ship to Residence

☐ Ship to Office

Shipping Address: _____

Patient Name: _____ Date: _____

Date of Birth: _____ Patient Phone: _____ Email: _____

PELVIC HEALTH**Overactive Bladder**
☐ Mirabegron 20mg Capsules **QTY:** 30 Capsules **Refills:** _____ **SIG:** Take 1 Capsule/ Day
☐ Mirabegron 40mg Capsules **QTY:** 30 Capsules **Refills:** _____ **SIG:** Take 1 Capsule/ Day

☐ ProtechDry Underwear **QTY:** _____
☐ Lunderg Confidence Clamp **QTY:** _____
☐ Minze Diary Pod + App **QTY:** _____
BPH
☐ Finasteride 5mg Tablets: Take 1 Tablet/ Day **QTY:** 90 Tablets **Refills:** _____
☐ Tamsulosin 0.4mg Capsules: Take 1 Capsule/ Day **QTY:** 90 Capsules **Refills:** _____
☐ Flosom + CBD Dietary Supplement 1 bottle (30 capsules)
Bladder Irrigation
☐ Mitomycin Solution 40mg Solution (5mg/mL) Dispense 8mL Vial
SIG: Dilute 8 mLs mitomycin solution with sterile water to produce final concentration
QTY: (# of 8mL Vials) _____ **Refills:** _____

☐ DMSO/ Lidocaine 50%/ .5% (W/V) in 50mL
SIG: Instill into bladder as directed

QTY: (# of 50mL Vials) _____ **Refills:** _____

☐ Mitomycin Sterile Water Kit: **SIG:** Use as directed for dilution of Mitomycin
Kit includes: Chemo-Rated Gloves, Syringe, 18G Needle, Bag and 50mL Sterile Water for injection
***QTY of Kits will match the number of vials of Mitomycin ordered**
TOPICAL CREAM**BLT Cream - Jar**
☐ Extra Strength (20% Benzocaine/ 6% Lidocaine/ 4% Tetracaine)
QTY: ☐ 30g ☐ 60g **Refills:** _____ **SIG:** ☐ Use as directed ☐ **Custom Sig:** _____
SKIN HEALTH**Estriol 0.3%/Sodium Hyaluronate 0.5% Cream**
☐ Estriol 0.3%/Sodium Hyaluronate 0.5% Cream
QTY: ☐ 30mL Pump **Refills:** _____ **SIG:** Apply 1 Pump (0.5mL) Daily to affected areas on face.
GHK-Cu 4% / Sodium Hyaluronate 0.5% Topical Cream
☐ GHK-Cu 4%/ Sodium Hyaluronate 0.5% Cream
QTY: ☐ 15mL Pump **Refills:** _____ **SIG:** Apply 1 Pump (0.5mL) Daily to affected areas on face.
GHK-Cu 1.0%/ Estriol 0.3%/ Sodium Hyaluronate 0.5% Cream
☐ GHK-Cu 1.0%/ Estriol 0.3%/ Sodium Hyaluronate 0.5% Cream
QTY: ☐ 15mL Pump **Refills:** _____ **SIG:** Apply 1 Pump (0.5mL) Daily to affected areas on face.
GHK-Cu 1.5%/ Estriol 0.3%/ Sodium Hyaluronate 0.5% Cream
☐ GHK-Cu 1.5%/ Estriol 0.3%/ Sodium Hyaluronate 0.5% Cream
QTY: ☐ 15mL Pump **Refills:** _____ **SIG:** Apply 1 Pump (0.5mL) Daily to affected areas on face.
Hydroquinone 4% Cream
☐ Hydroquinone 4% Cream
QTY: ☐ 30g Tube **Refills:** _____ **SIG:** Apply to affected area twice a day
WOMEN'S HEALTH**Vaginal Cream - Estradiol - 0.125mg/mL (0.0125%)**
☐ Insert 1mL (4 clicks) via applicator vaginally twice a week.
QTY: (total mLs) _____ or circle one: 15mL 30mL 45mL 60mL 90mL **Refills:** _____
Vaginal Cream - Estradiol/DHEA - 125mg/10mg/mL (0.0125% / 1%)
☐ Insert _____ clicks (1 click = 0.25mL = 0.25g) every _____
QTY: (total mLs) _____ or circle one: 15mL 30mL 45mL 60mL 90mL **Refills:** _____

Provider Name (Printed):

Provider Address:

Provider Signature:

☐ Bill to Patient ☐ Bill to Practice

☐ Ship to Residence

☐ Ship to Office

Shipping Address: _____

Patient Name: _____ Date: _____

Date of Birth: _____ Patient Phone: _____ Email: _____

WOMEN'S HEALTH**Topical Cream - Testosterone/DHEA/Estradiol - 1mg/3mg/0.5mg/mL**

Vaginal Cream - Testosterone/DHEA/Estradiol - 1mg/3mg/0.5mg/mL

☐ Apply _____ pump (1 pump = 0.25mL = 0.25g) every _____

QTY: (total mLs) _____ or circle one: 15mL 30mL 45mL 60mL 90mL Refills: _____

Topical Cream - Testosterone 10mg/mL
☐ _____ mL QTY: _____ Refills: _____ or Circle One: _____
 SIG: Apply _____ (0.25mL) pump(s) per day for 90 days

☐ 22.5mL QTY: _____ Refills: _____ SIG: Apply 1 pump per day for 90 days
☐ 45mL QTY: _____ Refills: _____ SIG: Apply 2 pumps per day for 90 days
☐ 67.5mL QTY: _____ Refills: _____ SIG: Apply 3 pumps per day for 90 days
☐ 90mL QTY: _____ Refills: _____ SIG: Apply 4 pumps per day for 90 days
Topical Cream - Estradiol/ Testosterone 1mg/10mg/mL
☐ _____ mL QTY: _____ Refills: _____ or Circle One: _____
 SIG: Apply _____ (0.25mL) pump(s) per day for 90 days

☐ 22.5mL QTY: _____ Refills: _____ SIG: Apply 1 pump per day for 90 days
☐ 45mL QTY: _____ Refills: _____ SIG: Apply 2 pumps per day for 90 days
☐ 67.5mL QTY: _____ Refills: _____ SIG: Apply 3 pumps per day for 90 days
☐ 90mL QTY: _____ Refills: _____ SIG: Apply 4 pumps per day for 90 days
REQUIRED FOR TESTOSTERONE PRESCRIPTIONS

Patient address: _____

Provider address: _____

Provider DEA Number: _____

WELLNESS/LONGEVITY**Low Dose Naltrexone**
☐ Low Dose Naltrexone 1.5mg Capsules
 SIG: Take _____ capsule(s) by mouth daily
☐ Low Dose Naltrexone 4.5mg Capsules
 SIG: Take _____ capsule(s) by mouth daily

 QTY: _____ or circle one: 15 Capsules 30 Capsules 60 Capsules
 Refills: _____ 90 Capsules
PT-141 Bremelanotide
☐ Bremelanotide 1mg Lozenges QTY: _____ Refills: _____
 SIG: Dissolve _____ lozenge(s) in mouth _____ times per day
☐ Bremelanotide 2mg Lozenges QTY: _____ Refills: _____
 SIG: Dissolve _____ lozenge(s) in mouth _____ times per day
Ondansetron ODT
☐ Ondansetron ODT 4mg Tablets QTY: _____ Refills: _____
 SIG: Dissolve _____ tablet(s) in mouth _____ daily/ weekly (circle one)
Phentermine
☐ Phentermine 37.5mg QTY: _____ Tablets Refills: _____ SIG: Take 1 tablet by mouth every morning
Metformin
☐ Metformin 500mg QTY: _____ Tablets Refills: _____ SIG: Take once or twice a day with food

Provider Name (Printed):

Provider Address:

Provider Signature:

Prescription Order Form - P: (857) 233-5837 x 2 F: (888) 247-0840

☐ Bill to Patient ☐ Bill to Practice

☐ Ship to Residence

☐ Ship to Office

Shipping Address: _____

Patient Name: _____ Date: _____

Date of Birth: _____ Patient Phone: _____ Email: _____

WELLNESS/LONGEVITY

Subcutaneous Injections

☐ Sermorelin Injection 1.5mg/mL - 10mL Vial **QTY:** _____ Vials **Refills:** _____
SIG: Inject _____ Units every night at bedtime 5 days a week on an empty stomach.

☐ BPC-157 Kit - Kit Includes: 10mg (undiluted) 5mL Vial + 23G Draw Syringe + 5mL barrel + Bac Water
QTY: _____ Kits **Refills:** _____ **SIG:** Inject _____ mcg subcutaneously/ intramuscularly (circle one) near affected area daily.

☐ NAD+ 100mg/mL - 5mL Vial **QTY:** _____ Vials **Refills:** _____
SIG: Inject _____ Units subcutaneously Monday, Wednesday, and Friday.

☐ NAD+ 100mg/mL - 10mL Vial **QTY:** _____ Vials **Refills:** _____
SIG: Inject _____ Units subcutaneously Monday, Wednesday, and Friday.

☐ NAD+ Testing Kit **QTY:** _____

☐ Glutathione 200mg/mL - 30mL Vial **QTY:** _____ Vials **Refills:** _____
SIG: Inject 1-2mL's 1-2 times weekly

☐ Hydroxocobalamin 2mg/mL **QTY:** _____ Vials **Refills:** _____
SIG: Inject 0.5mL (1mg) IM 1 to 3 times a week.

Intramuscular Injections

☐ MIC - Methionine / Inositol / Choline 25mg/50mg/50mg/mL - 30mL Vial MDV IM **QTY:** _____ Vials **Refills:** _____
SIG: Inject 1 mL once or twice a week

☐ MIC + B12 - Methionine / Inositol / Choline / Cyanocobalamin 25mg/50mg/50mg/1mg/mL - 30mL Vial MDV IM **QTY:** _____ Vials **Refills:** _____ **SIG:** Inject 0.5mL (1mg) IM 1 to 3 times a week.

CHOOSE SUBCUTANEOUS SYRINGE:

- ☐ 1cc: 31 gauge x 5/16" insulin syringes **QTY:** 10
☐ 1cc: 29 gauge x 1/2" insulin syringes **QTY:** 10
☐ 3cc: 30 gauge x 1/2" insulin syringes **QTY:** 10

CHOOSE INTRAMUSCULAR SYRINGE:

- ☐ 21G Intramuscular Needle and 1" Syringe **QTY:** 10
☐ 23G Intramuscular Needle and 1" Syringe **QTY:** 10
☐ 25G Intramuscular Needle and 1" Syringe **QTY:** 10
☐ 27G Intramuscular Needle and 0.5" Syringe **QTY:** 10

WELLNESS/ LONGEVITY SUPPLEMENTS

☐ Collagen Essentials - 8oz Bottle (30 Servings) **QTY:** _____ **Refills:** _____

SEMEN HEALTH

Popstar Supplements

☐ Fertility - 1 Bottle (90 Capsules) **QTY:** _____
☐ Volume + Taste - 1 Bottle (120 Capsules) **QTY:** _____

CLIMAX CONTROL/ DELAYED EJACULATION

☐ MyHixel Control Device + Play App **QTY:** _____
☐ MyHixel Hands-Free Accessory **QTY:** _____
☐ MyHixel Replacement Sleeve **QTY:** _____

☐ Promescent Endurance Spray - 60 **QTY:** _____
☐ Promescent Endurance Spray - 20 **QTY:** _____
☐ Popstar Delay Spray - 75 **QTY:** _____

☐ Oxytocin 200iu Rapid Dissolve Tablets **QTY:** _____ **Refills:** _____
Dissolve _____ lozenge(s) in mouth _____ (as needed, once daily, 15-30 minutes prior to sexual activity)

Scream Cream (Libido Cream) - Sildenafil/ Theophylline/ Arginine (2%/ 2.5% 6%)

☐ Scream Cream 20mL **QTY:** (circle one) 1 Jar (20mL) 2 Jars (40mL) **Refills:** _____
Apply _____ pump (0.5mL) to the vaginal area 15-30 minutes prior to sexual activity.

Provider Name (Printed):

Provider Address:

Provider Signature: